




SOLAR PROTECT


Superior long-term roof protection




- › Durable, flexible acrylic roof membrane
- › Excellent weather resistance and durability
- › Dirt, mould, mildew and fungi resistant
- › Ideal for use on tiled roofs

ROCKCOTE Solar Protect


COLOUR IDEAS



CLASSIC CREAM™



PAPERBARK®



SURFMIST®



EVENING HAZE®



SHALE GREY®



DUNE®




WINDSPRAY®




BASALT®




WOODLAND GREY®



MONUMENT®



WALLABY®



GULLY™



JASPER®



TERRAIN®



PALE EUCALYPT®




MANOR RED®



COTTAGE GREEN®



IRONSTONE®



NIGHT SKY®




DEEP OCEAN®

Please note, whilst every effort is made to obtain colour accuracy in this brochure, some variation in colour due to printing processes may occur. We strongly recommend you choose your final colours from COLORBOND® or ROCKCOTE colour samples, available from your local stockist or ROCKCOTE. COLORBOND® is a registered trademark of BlueScope Steel Limited. ® colour names and TM colour names are trademarks of BlueScope Steel Limited.


ROOF RESTORATION

PREPARATION SYSTEM



CHECK CONDITION

Look over the entire roof and replace any damaged tiles and remove any lichen.




CLEAN

High pressure wash the roof.



RE-BED AND RE-POINT

Re-bed any loose or damaged ridge capping and re-point with suitable pointing mix.



ROCKCOTE FUNGICIDAL WASH

Wash down the roof with ROCKCOTE Fungicidal Wash.

ROCKCOTE ROOF COATING SYSTEM

ROOF TYPE	1 ST STEP	2 ND STEP	3 RD STEP
CONCRETE TILES <ul style="list-style-type: none"> • Highly porous • Mildly porous • Non-porous 	TILE ROOF PRIMER 	SOLAR PROTECT 	SOLAR PROTECT 

